



**UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	R	ATTORNEY/DOCKET NO.
08/448,649	05/24/98	MASLOWEY		270329/2103

HM11/0106

MARSHALL O'TOOLE GERSTEIN  
MURRAY & BORUN  
6300 SEARS TOWER  
233 SOUTH WACKER DRIVE  
CHICAGO IL 60606-6402

GAMBELL  
EXAMINER

ART UNIT 4

PAPER NUMBER

01/06/99

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner of Patents and Trademarks**



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

08/448649

SERIAL NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NO.

EXAMINER	
ART UNIT	PAPER NUMBER
	37

DATE MAILED:

Please find below a communication from the EXAMINER in charge of this application  
Commissioner of Patents

The Reply Brief filed 12/15/98 (Paper No. 36) has been entered and considered but no further response by the Examiner is deemed necessary. The application has been forwarded to the Board of Patent Appeals and Interferences for decision on the appeal.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phillip Gambel whose telephone number is (703) 308-3997. The examiner can normally be reached Monday through Thursday from 7:30 am to 6:00 pm. A message may be left on the examiner's voice mail service. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Chan can be reached on (703) 308-3973. Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center 1600 receptionist whose telephone number is (703) 308-0196.

*PHILLIP GAMBEL*

Phillip Gambel, PhD.  
Patent Examiner  
Technology Center 1600  
Group 1640  
Art Unit 1644  
January 6, 1999

*David A. Saunders*  
DAVID SAUNDERS  
PRIMARY EXAMINER  
ART UNIT 182 1644